



TROJAN™ CONCRETE CLEANER

Product Description	This fluid applied cleaner removes dirt, oil, grease, stains etc from concrete, stucco, brick or any other masonry surface. Restoring it to a “New look” finish.		
Typical Uses	For industrial, commercial and residential use on homes sidewalks, driveways, buildings, slabs, ramps, car dealerships repair stalls, auto body shops, gas stations, shopping centres and streets.		
Product Advantage	Trojan™ Concrete Cleaner is economical, fast and effective non-flammable, biodegradable and non-carcinogenic.		
Colour	Light Yellow		
Physical Constants/	*Solubility in water:	Completely	
	*Specific Gravity:	(H ₂ O 1) 1.0 – 1.2 at 24 Degrees C.	
Storage	*Boiling point:	100 Degrees C using test tube.	
	*Evaporation Rate:	Less in 1 - water	
	*Percent Volatile by Weight:	N/A	
	*pH:	<1.0	
	*Storage	@ 5-38 Degrees Celsius	
Application	Theoretical Coverage:	5-7 sq/metres per litre	
	Method:	Brush, Roll or Spray	
Quantity & Storage	Consists of:	5 Litre Min 10-20 Litre 200 Litre drum	
	Shelf Life	12 months minimum from date of manufacture when, maintained in protected storage @ 5 – 38 degrees Celsius(subject to inspection thereafter).	
Technical Data	Catalogue, MSDS Sheets and Technical Data are available, upon request.		

**P.O. Box 107, Cloverdale 6985,
Perth, Western Australia
Telephone: 08-9361-8015
Toll Free Info Line: 1800-041144
E-Mail: enviropacific@ozemail.com.au
Web: www.enviropacific.com**

Trojan™ Concrete Cleaner

APPLICATION INSTRUCTIONS:

Always test on surface prior, to application.

SURFACE PREPARATION AND APPLICATION:

1. Apply **Trojan™ Concrete Cleaner** with a pump sprayer (Hudson Type) .
2. Allow at least, 4-8 minutes for **Trojan™ Concrete Cleaner** to deep clean the pores.
3. Agitate concrete surface using a Roto-clean.
4. Power Wash and rinse thoroughly using 2500-3000 psi.
5. If applicator has rust stain on the concrete surface, apply **Trojan™ Rust Stain Remover**, allow at least 4-8 minutes. Agitate, rust stain with brush or broom, pressure wash and rinse thoroughly at 2500-3000 psi.
6. After the cleaning process, allow to dry and apply penetrating **Trojan™ Waterproofing System** to provide a permanent waterproof barrier for masonry surfaces.
7. For equipment clean up, use our multi purpose **Trojan™ Concentrate Degreaser** with water.
This product is a concentrate and is effective for ongoing maintenance.
8. OSHA recommends using goggles, rubber gloves and rubber boots when applying this product.

Cleanup: Clean all equipment immediately after use with warm, soapy water.

Safety: Safe storage, handling and use dictate that adequate health and safety precautions be observed with this product user is, specifically directed to consult the current Material Safety Data Sheet for this product as well as precautions contained on product labelling.

Limitations: Apply in good weather when air and surface temperatures are above 7 degrees Celsius and surface temperature is at least 5 degrees Celsius above the dew point. For optimum application Properties, material should be stored at 21-38 degrees Celsius prior to application Maintain unused Material in closed containers in protected storage at 5-38 degrees Celsius.

DO NOT STORE IN STRONG SUNLIGHT.

Notice: The technical data contained herein are true and accurate to the best of our knowledge. All products are offered, and sold subject to **Enviroacific Pty Ltd** Standard Conditions of Sale. Published technical data and instructions are subject to change without prior notice.

Recommended Uses.

Sidewalks	Driveways
Buildings	Slabs
Ramps	Car Dealerships Repair Stalls
Auto Body Shops	Gas Stations
Shopping Centres	Streets

SPECIFICATIONS

Trojan™ Concrete Cleaner

1. PRODUCT: TROJAN™ CONCRETE CLEANER

2. MANUFACTURING & DISTRIBUTOR

Enviroacific Pty Limited.

P.O. Box 107, Cloverdale, Perth, Western Australia 6985.

Telephone: 08-93618015 Fax: 08-93618036

3. PRODUCT DESCRIPTION:

TROJAN™ CONCRETE CLEANER is a fluid applied cleaner that removes dirt, oil and stains from concrete, making it look new again.

4. PRODUCT USES:

For industrial, commercial and residential use on concrete. For homes, condominiums, apartments, warehouses, commercial buildings and factories.

5. JOB LIMITATIONS:

Apply in good weather when air and surface temperature are above 7 degrees Celsius and surface temperature is at least 5 degrees above the dew point.

For optimum application properties, materials should be between 20 degrees Celsius to 38 degrees Celsius prior to application. Maintain unused material in closed containers in protected storage at 5-35 degrees Celsius.

DO NOT STORE IN STRONG SUNLIGHT

6. SURFACE PREPARATION AND APPLICATION:

1. Spray on **Trojan™ Concrete Cleaner**
2. Wait 4 – 6 minutes.
3. Re-apply only in areas where stubborn spots remain.
4. Rinse area completely, a pressure washer speeds this process.

7. TECHNICAL DATA:

PRODUCTS PROPERTIES -

Proprietary Chemicals
Non-ionic biodegradable surfactant

PROPRIETARY INGREDIENT –

Non-hazardous

SOLUBILITY IN WATER -

Completely

BOILING POINT –

100 Degrees Celsius using, test tube method.

FREEZING POINT -

0 Degrees Celsius

SPECIFIC GRAVITY -

(H2O 1) 1.0 – 1.2 at 24 Degrees Celsius

EVAPORATION RATE –

Less than 1 – water.

% SOLIDS –

2% +/- .02

VISCOSITY –

More than water

Ph

1.0

8. MSDS SHEETS

Available upon request.

MATERIAL SAFETY DATA SHEET

Trojan™ Concrete Cleaner

May be used to comply with OSHA'S Hazard Communication Standard, 29CFR Standard must be consulted, for specific requirements.

SECTION I. - IDENTIFICATION:

Trade Name: Trojan™ Concrete Cleaner
Dot Class: Non-hazardous, non-combustible.
Chemical Name: Mixture, water-based.

SECTION II – INGREDIENTS:

Non-ionic, bio-degradable surfactant.
Proprietary acids.
All other components are considered to be, non-hazardous as per OSHA 29 CFR 1920.1200.

SECTION III - PHYSICAL DATA.

Appearance/Odour – Light yellow/sharp odour.
Vapour Pressure – (mm Hg) Greater
Solubility in water - Completely
Boiling Point - 100 degrees Celsius using test tube method.
Freezing Point – 0 degrees Celsius (Liquid only)
Specific Gravity – (H2O 1) 1.0 – 1.2 at 24 degrees Celsius.
Evaporation Rate – Less than 1 – water.
% Volatile by Weight – N/A.
pH = 1.0
Weight – 10.00+/- .02.
% Solids – 2%+/- .02.
Viscosity – More than water.

MATERIAL SAFETY DATA SHEET

CONTINUED

EMERGENCY & FIRST AID PROCEDURES:

EYE CONTACT: Flush with water.

SKIN CONTACT: Wash with soap and water.

INHALATION: Remove for fresh air.

INGESTION: Give a few glasses of water to dilute. Seek medical help.

SECTION VI – SPILL OR LEAK HANDLING INFORMATION:

PERSONAL PROTECTION - Rubber gloves are recommended. If exposed to material during clean-up operations, see the first aid procedures for actions to follow.

SECTION VII – STORAGE AND HANDLING.

Storage conditions: ***KEEP FROM FREEZING.***

DO NOT STORE IN STRONG SUNLIGHT

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA OR RESULTS TO BE OBTAINED FROM THE USE THEREOF. VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PERSONS PROXIMATELY CAUSED BY MATERIAL IF REASONABLE SAFETY PROCEDURES ARE NOT ADHERED TO AS STIPULATED IN THE DATA SHEETS. ADDITIONALLY, VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PERSON PROXIMATELY CAUSED BY ABNORMAL USE OF THE MATERIAL EVEN IF REASONABLE SAFETY PROCEDURES ARE FOLLOWED. FURTHERMORE, VENDEE ASSUMES THE RISK IN THE USE OF THIS MATERIAL.

TROJAN™ CONCRETE CLEANER
GOVERNMENT APPROVALS

Local, State and Federal
U.S.A.

Trojan™ Concrete Cleaner

G.S.A. Contract # GS10F8822H

**Trojan Concrete & Masonry Cleaner is on the G.S.A
Advantage Web Site.**

www.fss.gsa.gov

Department of Defence Cage Code #OYUF6

Trojan™ Concrete Cleaner

**Meets all qualifications of EPA proposed VOC Product
Requirements.**

Trojan™ Concrete Cleaner

**Complies with OSHA'S Hazard Communication Standard
29CFR1910.1200.**

ASTM for Trojan™ Concrete Cleaner

**ASTM E-84-97A – Test method for Surface Burning
Characteristics
of Building Materials.**

Trojan™ Concrete Cleaner **will not etch concrete like muriatic
Acid will, but penetrates and cleans totally.**