



## **TROJAN™ RED CLAY STAIN REMOVER**

### ***Product Description***

A unique formulation that removes clay from plaster, brick or surfaces.

### ***Typical Uses***

For industrial, commercial and residential use on homes, pavements driveways, buildings, slab, ramps, shopping centers.

### ***Product Advantages***

*Trojan™ Red Clay Stain Remover* is fast and easy to apply, will not harm concrete, removes stubborn stains, easy clean up.

### ***Colour***

Red/Orange

### ***Physical Constants/ Storage***

<b><i>*Solubility in water:</i></b>	Excellent
<b><i>*Specific Gravity:</i></b>	8.7 wt. +/- .04
<b><i>*Evaporation Rate:</i></b>	Same as water.
<b><i>*pH:</i></b>	<1.0
<b><i>*Vapour Pressure:</i></b>	N/A
<b><i>*Vapour Density:</i></b>	N/A
<b><i>*Boiling Point:</i></b>	80 degrees Celsius

### ***Application***

***Theoretical Coverage:*** Coverage 5 – 7 Square metres per Litre.  
***Method:*** Brush, roll, spray or wipe.

### ***Shipping & Storage***

***Consists of:*** 5 Litre Min      10-20 Litre      200 Litre  
***Shelf Life:*** 12 months minimum from date of manufacture when maintained in protected storage.

***P.O Box 107, Cloverdale 6985***

***Perth, Western Australia***

***Telephone: 08-9361 8015***

***Toll Free Info Line: 1800 04 44 11***

***E-Mail: [enviropacific@ozemail.com.au](mailto:enviropacific@ozemail.com.au)***

***Web: [www.enviropacific.com](http://www.enviropacific.com)***

## **TROJAN™ RED CLAY STAIN REMOVER**

### ***LIMITATIONS:***

Apply in good weather when air and surface temperature are above 8 degrees Celsius and surface temperature is at least 5 degrees Celsius above the dew point. For optimum application properties, materials should be between 21 –38 degrees Celsius prior to application. Maintain unused material in closed containers in protected storage at 5 – 38 degrees Celsius.

### ***SURFACE PREPARATION AND APPLICATION:***

***NOTE:*** Use gloves and goggles to keep from getting in eyes and skin. (Vertical spraying)

1. Wash surface with *Trojan™ Concentrate Degreaser*.
2. Rinse with water.
3. While damp, spray on *Trojan™ Red Clay Stain Remover*
4. Let stand for approximately 5 – 10 minutes.
5. Scrub any stubborn stains with brush.
6. Rinse with water.

***CLEANUP:*** Clean all equipment immediately after use with warm soapy water.

***SAFETY:*** Safe storage, handling and use dictate that adequate health and safety precautions be observed with this product. User is specifically directed to consult the current Material Safety Data Sheet for this product as well as precautions contained on product labeling.

***NOTICE:*** The technical data contained herein are true and accurate to the best of our knowledge. All products are offered, and sold subject to Enviropacific™ Standard Conditions of Sale. Published technical data and instructions are subject to change without prior notice.

### ***RECOMMENDED USES:***

- ❖ Concrete
- ❖ Brick, blocks, mortar
- ❖ Ramps, buildings, shopping centers
- ❖ Slabs, patios, outdoor areas
- ❖ Driveways, walls, floors

# **SPECIFICATIONS**

## ***Trojan™ Red Clay Stain Remover***

### **1. PRODUCT: Trojan™ Red Clay Stain Remover**

### **2. MANUFACTURING & DISTRIBUTOR**

*Enviropacific™ Pty Ltd, P.O Box 107, Cloverdale, Perth, Western Australia, 6985  
Telephone:08- 9361 8015 Fax:08-9361 8036 Toll Free Info Line: 1800 04 11 44  
E-Mail: [enviropacific@ozemail.com.au](mailto:enviropacific@ozemail.com.au) Web: [www.enviropacific.com](http://www.enviropacific.com)*

### **3. PRODUCT DISCRIPTION:**

*Trojan™ Red Clay Stain Remover* is a unique formulation that removes red clay and stains from concrete.

### **4. PRODUCT USES:**

For industrial, commercial and residential use on pavements, buildings, walls or floors, entranceways, shopping malls, business centers, bricks, blocks, plaster and concrete.

### **5. JOB LIMITATIONS:**

Apply in good weather when air and surface temperatures are above 7 degrees Celsius and surface temperature is at least 5 degrees Celsius above the dew point. For optimum application properties, material should be stored at 21-38 degrees Celsius prior to application maintain unused Material in closed containers in protected storage at 5-38 degrees Celsius.

**DO NOT STORE IN STRONG SUNLIGHT.**

### **6. SURFACE PREPARATION AND APPLICATION:**

**NOTICE:** Use gloves and goggles to keep from getting in eyes (vertical spraying)

1. Wash surface with *Trojan™ Concentrate Degreaser*
2. Rinse with plenty of water.
3. While wet, spray on Trojan™ Red Clay Stain Remover.
4. Let stand for approximately 5 - 10 minutes.
5. Scrub any stubborn stains with a brush.
6. Rinse with plenty of water.

### **7. TECHNICAL DATA:**

<b>*Solubility in water:</b>	Excellent
<b>*Specific Gravity:</b>	8.7 wt. +/- .04
<b>*Evaporation Rate:</b>	Same as water.
<b>*pH:</b>	<1.0
<b>*Vapour Pressure:</b>	N/A
<b>*Vapour Density:</b>	N/A
<b>*Boiling Point:</b>	80 degrees Celsius

### **8. MSDS SHEETS:**

Available upon request.

## MATERIAL SAFETY DATA SHEET

### Trojan™ Red Clay Stain Remover

May be used to comply with OSHA' Hazard Communication Standard, 29 CFR Standard must be consulted for specific requirements.

#### SECTION I – IDENTIFICATION:

**Trade Name:** Trojan™ Red Clay Stain Remover  
**DOT Class:** Non Hazardous, Non-Combustible.  
**Chemical Name:** Mixture, Water based.

#### SECTION II – INGREDIENTS:

Non-ionic, bio-degradable surfactant  
Proprietary acids.

All other components are considered to be non-hazardous as per OSHA 29 CFR

#### SECTION III – PHYSICAL DATA:

**Appearance -** Yellow/sharp odour  
**Boiling Point -** 80 degrees Celsius  
**Specific Gravity -** 8.7 Wt +/- .04  
**Solubility in water -** Excellent  
**Evaporation rate -** Same as water  
**% Volatile by weight -** N/A  
**pH =** <1.0  
**Vapour pressure -** N/A  
**Vapour Density -** N/A

#### SECTION IV - FIRE & EXPLOSIVE DATA:

In case of fire, use media applicable for surrounding area.

#### SECTION V - HEALTH HAZARD DATA:

##### EFFECTS OF OVER EXPOSURE:

**Inhalation:** May cause irritation in the respiratory tract.  
**Eye Contact:** Can cause irritation, redness and discomfort.  
**Ingestion:** Can cause irritation and discomfort in the stomach.  
**Skin Contact:** Irritation, redness, itching and dryness.

## MATERIAL SAFETY DATA SHEET

*CONTINUED*

### **EMERGENCY & FIRST AID PROCUDURES:**

**EYE CONTACT:** Flush with water.

**SKIN CONTACT:** Wash with soap and water.

**INHALATION:** Remove to fresh air.

**INGESTION:** Give a few glasses of water to dilute. Seek medical help.

### **SECTION VI : SPILL OR LEAK HANDLING INFORMATION:**

**PERSONAL PROTECTION** – Rubber gloves are recommended. If exposed to material during clean-up operations, see the first aid procedures for actions to follow.

### **SECTION VII – STORAGE & HANDLING:**

Storage conditions:        **Keep from freezing**

***DO NOT STORE IN STRONG SUNLIGHT***

***THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA OR ESULTS TO BE OBTAINED FROM THE USE THEREOF. VENDOR ASSUMES NO RESPONSILBILTY FOR INJURY TO VENDEE OR THIRD PERSONS PROXIMATLEY CAUSED BY MATERIAL IF RESPONSIBLE SAFETY PROCEDURES ARE NOT ADHERED TO AS STIPULATED IN THE DATA SHEETS. ADDITIONALLY, VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THRID PERSON PROXIMATLEY CAUSED BY ABNORMAL USE OF THE MATERIAL EVEN IF REASONABLE SAFETY PROCEDURES ARE FOLLOWED. FUTHERMORE, VENDEE ASSUMES THE RISK IN THE USE OF THIS MATERIAL.***